

Windsor Boom Lift License

Windsor Boom Lift License - To operate an aerial boom lift, operators should be qualified through training that could be obtained using both classroom sessions and practical training and by obtaining a boom lift license. Instruction should be given with respect to the kind of aerial lift which would be used on the job. A License is required for any person who works on or operates an aerial boom lift.

Various types of vehicle-mounted aerial devices comprise aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whichever combination of these types.

There are several basic safety regulations which apply to all boom lifts. Worker safety while inside the basket is a main concern. Workers should put on a body harness and lanyard connected to the boom or basket. Never tie off to an adjacent pole, structure, or equipment. Workers should stand on the floor of the basket, and never sit or climb on the basket edge. The manufacturer's load limits should be followed.

Lift operators need to be authorized to operate an aerial lift. The manufacturer's manual must be kept in the lift and the operator has to be familiar with all aspects of that specific unit. Operators are responsible for ensuring that safety procedures are followed in operating the lift. A daily test of lift controls must be done. Set brakes and position outriggers (if they are utilized) on a stable surface or on pads. When working on a slope, utilize wheel chocks.

Never move an aerial lift truck with an elevated boom whilst employees are in the basket. Articulating boom and extensible boom platforms utilized as employees carriers must have accessible, plainly marked, upper controls. Except for in emergency cases, lower controls must not be used to override upper controls unless the person in the lift gives permission.

Do not wear pole or tree climbers shall while working from an aerial lift.

The insulated part of the aerial lift must not be altered.

Make certain that the booms are thoroughly inspected, that the equipment is correctly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local regulations.